

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L2 | 760 | ((smart card) near (ID or identifier or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/16 10:38 |
| L3 | 9 | ((generat\$4 or produc\$4 or creat\$4) near3 key) near9 ((smart card) near (ID or identifier or identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/16 10:44 |
| L4 | 2 | ((generat\$4 or produc\$4 or creat\$4) near3 key) near9 ((smart card) near (serial)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/16 10:44 |
| L5 | 3 | ((generat\$4 or produc\$4 or creat\$4) near3 key) near9 ((smart card) near3 (serial number)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/16 10:44 |
| S1 | 6 | ("6286103" "6005938" "6002772"). pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 10:42 |
| S3 | 929 | ((encrypt\$3 or encipher\$3 or scrambl\$3) near3 key) same (copyright or "copy protection") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 10:48 |
| S4 | 40 | S3 and 380/277.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 10:49 |
| S5 | 794 | ((encrypt\$3 or encipher\$3 or scrambl\$3) adj4 key) same (copyright or "copy protection") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 10:48 |
| S6 | 38 | S5 and 380/277.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 10:49 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S8 | 15 | (content or data or information) with ((encrypted or enciphered or ciphered or scrambled) adj key) with (copyright or "content protection" or "digital management") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 13:25 |
| S9 | 1 | "09674441" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 14:38 |
| S10 | 306 | ("copyright protection" or rights "digital management") with ((ident\$5 or PID or ID or "serial number") with authentication) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 14:41 |
| S11 | 0 | 380/277.ccls. and ("copyright protection" or rights "digital management") with ((ident\$5 or PID or ID or "serial number") with authentication) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 14:40 |
| S12 | 735 | ("copyright protection" or rights "digital management") same ((ident\$5 or PID or ID or "serial number") with authentication) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 14:42 |
| S13 | 4 | 380/277.ccls. and ("copyright protection" or rights "digital management") same ((ident\$5 or PID or ID or "serial number") with authentication) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 14:43 |
| S14 | 8 | 380/277.ccls. and ("copyright protection" or rights "digital management") same ((ident\$5 or "user ID" or PID or ID or "serial number") with (compar\$3 or match\$3 or authentication)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/30 14:45 |
| S16 | 10 | 380/277.ccls. and ("content data" or "data packet" or "data block" or "stream") with ((ident\$5 or "user ID" or PID or ID or "serial number") with (compar\$3 or match\$3 or authentication)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/31 05:43 |
| S17 | 0 | 380/277.ccls. and (copyright or "digital managemetn") with ((ident\$5 or "user ID" or PID or ID or "serial number") with (compar\$3 or match\$3 or authentication)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/31 05:43 |

EAST Search History

| | | | | | | |
|-----|------|--|---|-----|----|------------------|
| S18 | 1 | 380/277.ccls. and (copyright or "digital managemetrn") same ((ident\$5 or "user ID" or PID or ID or "serial number") with (compar\$3 or match\$3 or authentication)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/31 05:44 |
| S19 | 34 | 380/277.ccls. and (copyright or "digital managemetrn") and ((ident\$5 or "user ID" or PID or ID or "serial number") with (compar\$3 or match\$3 or authentication)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/31 06:20 |
| S20 | 138 | 380/277.ccls. and ("public key encryption") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/31 06:20 |
| S21 | 19 | 380/277.ccls. and (copyright or "digital management") and ("public key encryption") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/31 06:55 |
| S22 | 34 | 380/277.ccls. and (copyright or "digital management") and (mpeg\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/31 06:55 |
| S23 | 1116 | 380/277.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 14:11 |
| S25 | 2 | (periodic\$6 or (interval)) same (key near4 generat\$6) same ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card") near6 seed) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 14:38 |
| S26 | 2 | (periodic\$6 or (interval)) same (key near4 generat\$6) same ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card") near10 seed) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 16:00 |
| S27 | 2 | (periodic\$6 or (interval)) same (key near4 generat\$6) same ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card") near10 ("initial value" or random\$1number or RAND or seed)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 14:39 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|-----|----|------------------|
| S28 | 16 | (periodic\$6 or (interval)) same (key near4 generat\$6) same ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card") same ("initial value" or random\$1number or RAND or seed)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 15:50 |
| S29 | 0 | (periodic\$6 or (interval)) same (key near4 generat\$6) same (license) same ("initial value" or random\$1number or RAND or seed) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 15:51 |
| S30 | 112 | (periodic\$6 or (interval)) same (key near4 generat\$6) same ("initial value" or random\$1number or RAND or seed) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 15:51 |
| S31 | 112 | ((periodic\$6 or (interval)) same (key near4 generat\$6) same ("initial value" or random\$1number or RAND or seed)) . | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 15:53 |
| S32 | 3 | (periodic\$6 or (interval)) same (key near4 generat\$6) same (license server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 15:53 |
| S33 | 326 | (periodic\$6 or (interval)) same (key near4 generat\$6) same ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 16:06 |
| S34 | 0 | (periodic\$6 or (interval)) same (key near4 generat\$6) same ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card")) same "license server" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 16:00 |
| S35 | 35 | (periodic\$6 or (interval)) same (key near4 generat\$6) same ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card")) and "license server" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 16:01 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|-----|----|------------------|
| S36 | 109 | (periodic\$6 or (interval)) same (key near4 generat\$6) near9 ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 16:20 |
| S37 | 7 | (periodic\$6 or (interval)) same (key near4 generat\$6) near9 ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card")) same license | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 16:22 |
| S38 | 0 | (periodic\$6 or (interval)) same (key near4 generat\$6) near9 ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card")) and "license server" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 16:23 |
| S39 | 41 | (periodic\$6 or (interval)) same (key near4 generat\$6) near9 ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card")) and "rights" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 16:23 |
| S40 | 0 | (periodic\$6 or (interval)) same (key near4 generat\$6) near9 ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card")) and (copy\$1protection) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 16:24 |
| S41 | 2 | (periodic\$6 or (interval)) same (key near4 generat\$6) near9 ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card")) and (copy\$1rights) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 16:24 |
| S42 | 17 | (periodic\$6 or (interval)) same (key near4 generat\$6) near9 ((identifier or identification or "serial number" or "device name" or "ID" or biometric or (finger\$1print) or iris or pupil or "credit card")) and (copy\$1right) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/25 16:24 |
| S43 | 2 | "4933971".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/27 14:56 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|-----|----|------------------|
| S44 | 0 | (secure registry).clm. and (registry key).clm. and identification.clm. and decrypt\$4.clm. and regenerat\$4.clm. and (another key).clm. and (current).clm. and authorized.clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/27 14:59 |
| S45 | 0 | (secure registry).clm. (registry key).clm. identification.clm. decrypt\$4.clm. regenerat\$4.clm. (another key).clm. (current).clm. authorized.clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/27 15:00 |
| S46 | 0 | software.clm. and hardware.clm. and address.clm. and address.clm. and range.clm. and defin\$4.clm. and (abstraction layer).clm. and component.clm. and detect\$4.clm. and access.clm. and determin\$4.clm. and permit\$.clm. and prohibit\$4.clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/10/28 13:57 |
| S47 | 19 | "387599" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/15 15:14 |
| S48 | 2 | "387599" and bestock | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/15 15:15 |
| S49 | 2 | "4933971".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/15 15:21 |
| S51 | 318 | ((generat\$4 or produc\$4) near2 key) near9 ((device or terminal or node or computer or host) adj2 (serial or number or (serial number) or identifier or identification or name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/15 15:26 |
| S52 | 29 | ((generat\$4 or produc\$4) near2 key) near9 ((device or terminal or node or computer or host) adj2 (serial or number or (serial number) or identifier or identification or name)) same verif\$9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/15 15:26 |
| S53 | 52 | ((generat\$4 or produc\$4) near2 key) near9 ((device or terminal or node or computer or host) adj2 (serial or number or (serial number) or identifier or identification or name)) same (verif\$9 or compar\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/15 16:14 |

EAST Search History

| | | | | | | |
|-----|----|---|---|-----|----|------------------|
| S54 | 7 | ((re\$1generat\$4 or re\$1produc\$4) near2 key) near9 ((device or terminal or node or computer or host) adj2 (serial or number or (serial number) or identifier or identification or name)) and (authenticat\$4 or verif\$9 or compar\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/15 16:15 |
| S55 | 7 | ((re\$1generat\$4 or re\$1produc\$4 or re\$1calculat\$4 or re\$1comput\$4) near2 key) near9 ((device or terminal or node or computer or host) adj2 (serial or number or (serial number) or identifier or identification or name)) and (authenticat\$4 or verif\$9 or compar\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/15 16:18 |
| S56 | 11 | ((re\$1generat\$4 or re\$1produc\$4 or re\$1calculat\$4 or re\$1comput\$4) near2 key) near9 ((device or terminal or node or computer or host) adj2 (serial or number or (serial number) or identifier or identification or name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/15 16:24 |
| S58 | 2 | "5014312".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/15 16:22 |
| S59 | 43 | ((re\$1generat\$4 or re\$1produc\$4 or re\$1calculat\$4 or re\$1comput\$4) near2 key) near9 ((device or terminal or node or computer or host) near5 (serial or number or (serial number) or identifier or identification or name)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/02/15 16:25 |